



ওয়েস্ট জোন পাওয়ার ডিস্ট্রিবিউশন কোম্পানী লিমিটেড (ওজোপাডিকো)
WEST ZONE POWER DISTRIBUTION COMPANY LIMITED.

(An Enterprise of Bangladesh Power Development Board)

নিবাহী প্রকৌশলীর কার্যালয়, বিক্রয় ও বিতরণ বিভাগ, ওজোপাডিকো, ঝালকাঠী।

www.wzpdcl.org.bd e-mail: wz.lhalokathi@gmail.com, Mob- 01700709964

স্মারক নং ২৭.২২.৪২০০.২০৪.০৩.০০২.২৪.৪৪৯

তারিখঃ- ২০.০৮.২৪ ইং।

“খোলা দরপত্র বিজ্ঞপ্তি”

১।	ময়নালয়/ বিভাগ	বিদ্যুৎ জ্বালানী ও খনিজ ময়নালয়, বিদ্যুৎ বিভাগ।
২।	এজেন্সি/ প্রতিষ্ঠান	ওয়েস্ট জোন পাওয়ার ডিস্ট্রিবিউশন কোম্পানী লিমিটেড, বয়রা খুলনা।
৩।	প্রকিউরিং এন টিটি/ দপ্তরের নাম	নিবাহী প্রকৌশলীর দপ্তর, বিক্রয় ও বিতরণ বিভাগ, ঝালকাঠী।
৪।	কাজের নাম	বিক্রয় ও বিতরণ বিভাগ, ওজোপাডিকো ঝালকাঠী দপ্তরের অফিস ভবনের পয়ঃ প্রণালীসহ আংশিক দরজা জানাল মেরামত কাজ।
৫।	টেডার পদ্ধতি	খোলা দরপত্র।
৬।	দরপত্র সিডিউল ক্রয় মূল্য (অফেরতযোগ্য)	ক) ২০০/- (দুইশত) টাকা প্রেসিট (অফেরতযোগ্য)। ব্যবস্থাপক (হিসাব), আহিদ ওজোপাডিকোলিঃ বরিশাল এর অনুকূলে ব্যাংক ড্রাফটের (যে কোন তফসীলি ভুক্ত ব্যাংক হইতে) মাধ্যমে ক্রয় করতে হবে।
৭।	জামানত (ফেরতযোগ্য)	ক) ১২,৫০০/- মাত্র (ফেরতযোগ্য) ব্যবস্থাপক (হিসাব), আহিদ ওজোপাডিকোলিঃ বরিশাল এর অনুকূলে পে-অর্ডার/ব্যাংক ড্রাফট আকারে তফসীলের সহিত দাখিল করিতে হইবে।
৮।	দরপত্র প্রাপ্তির স্থান	১। তত্ত্বাবধায়ক প্রকৌশলী, পরিচালন ও সংরক্ষন সার্কেল, ওজোপাডিকোলিঃ বরিশাল। ২। নিবাহী প্রকৌশলীর দপ্তর, বিক্রয় ও বিতরণ বিভাগ, ওজোপাডিকোলিঃ ঝালকাঠী। ৩। ব্যবস্থাপক(হিসাব), আহিদ, ওজোপাডিকো, বরিশাল।
৯।	দরপত্র বিক্রয়ের শেষ তারিখ ও সময়	১৬-০৯-২৪ ইং তারিখ (অফিস চলাকালীন সময় পর্যন্ত)।
১০।	দরপত্র গ্রহণের তারিখ ও সময়	১৭-০৯-২৪ ইং তারিখ দুপুর ১২-০০ টা পর্যন্ত।
১১।	দরপত্র খোলার তারিখ ও সময়	১৭-০৯-২৪ ইং তারিখ দুপুর ১-০০ মিনিট।
১২।	যে সকল দপ্তরে দরপত্র দাখিল করা যাবে	নিবাহী প্রকৌশলীর দপ্তর, বিক্রয় ও বিতরণ বিভাগ, ওজোপাডিকো, ঝালকাঠী।
১৩।	দরপত্র খোলার স্থান/ তারিখ	নিবাহী প্রকৌশলীর দপ্তর, বিক্রয় ও বিতরণ বিভাগ, ওজোপাডিকো, ঝালকাঠী। তাঃ- ১৭-০৯-২৪ ইং সময় ১-০০ ঘটিকায়।
১৪।	কাজ শেষ করার সময়সীমা	৩০ (ত্রিশ) দিন মাত্র।
১৫।	দরদাতার যোগ্যতা/অন্যান্য শর্তাবলী	বর্নিত কাজে অভিজ্ঞতা সম্পন্ন প্রতিষ্ঠান দরপত্র ক্রয়ের সময় আবেদন পত্রের সহিত প্রতিষ্ঠানের মালিকনার এফিডেভিট, হালনাগাদ ট্রেড লাইসেন্স, পূর্ত/ যানবাহন কাজের লাইসেন্স ও অভিজ্ঞতার সনদপত্র, ভ্যাট ও আয়কর নিবন্ধন সনদপত্র, সমসাময়িক সময়ে ব্যাংক কর্তৃক প্রদত্ত আর্থিক স্বচ্ছতার সনদপত্র থাকতে হবে। দরপত্র দাখিলের সময় সত্যায়িত ফটোকপি দরপত্রের সংগে সংযুক্ত করতে হবে।
১৬।		নিম্নস্বাক্ষরকারী কোন কারন দর্শানো ব্যতিরেকেই যে কোন দরপত্র গ্রহণ ও বাতিল করার ক্ষমতা সংরক্ষন করেন।

২০০৪/২৪
নিবাহী প্রকৌশলী
বিক্রয় ও বিতরণ বিভাগ
ওজোপাডিকোলিঃ, ঝালকাঠী।
তারিখঃ-

স্মারক নং ২৭.২২.৪২০০.২০৪.০৩.০০২.২৪-
অনুলিপিঃ-

- ১। প্রধান প্রকৌশলী, ও এন্ড এম, এস এন্ড ডি, ওজোপাডিকোলিঃ, সদর দপ্তর, খুলনা।
- ২। তত্ত্বাবধায়ক প্রকৌশলী, পরিচালন ও সংরক্ষন সার্কেল, ওজোপাডিকোলিঃ বরিশাল।
- ৩। নিবাহী প্রকৌশলী, বিবিবি-১/বিবিবি-২ ও আমেকা, ওজোপাডিকোলিঃ, বরিশাল।
- ৪। আবাসিক প্রকৌশলী (নিবাহী প্রকৌশলী), পিরোজপুর বিদ্যুৎ সরবরাহ, ওজোপাডিকোলিঃ পিরোজপুর।
- ৫। ব্যবস্থাপক (হিসাব), আহিদ, ওজোপাডিকোলিঃ, বরিশাল। দরপত্র খোলার তারিখে আপনার দপ্তরের উপ-ব্যবস্থাপক (হিসাব) কে প্রেরণ করার জন্য অনুরোধ করা হইল।
- ৬। ব্যবস্থাপক, অম্নী ব্যাংক, ঝালকাঠী শাখা। নিম্নস্বাক্ষরকারীর অনুমতি সাপেক্ষে নির্ধারিত মূল্যে অম্নী প্রতিষ্ঠান সমূহের নিকট বিক্রয়ের জন্য প্রতি গ্রুপের ৫(পাঁচ) সেট দরপত্র দলিল এতদসংগে প্রেরণ করা হইল। প্রয়োজনে চাহিদা মোতাবেক পুনঃ প্রেরণ করা হইবে।
- ৭। সহকারী প্রকৌশলী, অত্র দপ্তর।
- ৮। সহকারী হিসাব রক্ষক, অত্র দপ্তর।
- ৯। নোটিশ বোর্ড, অত্র দপ্তর।
- ১০। দপ্তর নথি

২০০৪/২৪
নিবাহী প্রকৌশলী
বিক্রয় ও বিতরণ বিভাগ
ওজোপাডিকো, ঝালকাঠী।

Name of Work :- বিক্রয় ও বিতরণ বিভাগ, গুজোপাড়িকো বালকাঠি দপ্তরের অফিস ভবনের পয়ঃ প্রণালীসহ আংশিক দরজা
জানালা মেরামত কাজের সিডিউল।

Item No.	Description.	Quantity	Unit.	Unite Rate.	Amount
1	CE.26.8.3.Page-238.Supplying, fitting and fixing of European type glazed porcelain low-down. The sanitary ware shall conform BDS1162:2014. The glaze shall be thoroughly fused to body. The minimum thickness of body at any section shall be 5 mm. When assembled together and when examined from a distance of 60 cm, the outer surface shall not show to the unaided eye, blemishes or defects in excess of those listed in BDS standard. The mean value of water absorption shall not be greater than 0.5% of the ware when dry. When tested with chemical solutions (Acetic acid, Citric acid, Detergent, Hydrochloric acid, Sodium hydroxide, Sodium stearate and Sulfuric acid of various strength) as per BDS1162:2014 procedure, none of the test pieces should suffer any loss of reflectivity on the glaze. There shall be no crazing and no stain on the ware. The materials used for making glaze shall not contain lead compound. In case of certain coloring oxides used for making colored glaze, the lead content, if any, shall not exceed 5 percent of the weight of the glaze materials. Appliances shall be clearly and indelibly marked at a prominent place, visible even after the appliances are installed with the following: a) manufacturer's name and/ or registered trademark, b) the	4.00	Each		
2	CE.26.13.21..Page-241. Supplying of country made glazed vitreous W/H wash basin of any color including pedestal. The sanitary ware shall conform BDS1162:2014. The glaze shall be thoroughly fused to body. The minimum thickness of body at any section shall be 5 mm. When assembled together and when examined from a distance of 60 cm, the outer surface shall not show to the unaided eye, blemishes or defects in excess of those listed in BDS standard. The mean value of water absorption shall not be greater than 0.5% of the ware when dry. When tested with chemical solutions (Acetic acid, Citric acid, Detergent, Hydrochloric acid, Sodium hydroxide, Sodium stearate and Sulfuric acid of various strength) as per BDS1162:2014 procedure, none of the test pieces should	3.00	Each		
3	CE.26.19.1.Page-244. Supplying, fitting and fixing of 5 mm thick unframed super quality double coated mirror with all necessary fitting including making holes in walls and mending good the damages with cement mortar (1:4) etc. all complete approved and accepted by the Engineer-in-charge. Local Mirror, 5 mm thickness	1.39	Sqm		
4	CE.26.20.Page-244. Supplying, fitting and fixing of super quality 600 mm x 125 mm coloured glass shelf having 5 mm thickness with fancy C.P. brackets, screws and frames including making holes in walls and mending good the damages with cement mortar (1:4) etc. all complete approved and accepted by the Engineer- in- charge.	2.00	Each		
5	CE.26.22.3.Page-244. Supplying, fitting and fixing of country made best quality towel rail/ ring/ shelf minimum 20 mm in dia with C.P. holder including making holes in walls and mending good the damages with cement mortar (1:4) etc. all complete approved and accepted by the Engineer-in-charge. 600 mm long C.P. double towel rail	2.00	Each		
6	CE.26.29.1.Page-246. Supplying, fitting and fixing of best quality country made 12 mm bib cock made from copper or copper alloy, chromium plated. The faucet conforms BDS EN 200:2009. The faucet tap shall be free from any leakage, permeation and other abnormalities. The water hammer value shall be 1.47 Mpa or under. The faucet after it has been operated 100000 times it shall be free from a seat- leakage and shall satisfy the reverse flow preventing performance. The inside and outside surfaces of the faucet shall be smooth and be free from blowholes, fissures, remarkable flows or injurious defects.	10.00	Each		
7	CE.26.30.1.Page-246 Supplying, fitting and fixing of best quality surface mounted or conceal stop cock/angle stop cock (lever or round headed) with wall flange chromium plated. The faucet conforms BDS EN 200:2009. The faucet tap shall be free from any leakage, permeation and other abnormalities. The water hammer value shall be 1.47 MPa or under. The faucet after it has been operated 100000 times it shall be free from a seat-leakage and shall satisfy the reverse flow preventing performance. The inside and outside surfaces of the faucet shall be smooth and be free from	7.00	Each		

am

	CE.26.52.5.Page-255. Supplying, fitting and fixing of best quality G.I. gate valve with sealant etc. complete approved and accepted by the Engineer- In-charge. 40 mm brass gate valve	3.00	Each		
9	CE.26.61.4.Page-258 Supplying, fitting and fixing of 12 mm dia connection pipe approved and accepted by the Engineer- In- charge. 600 mm long metal cover connection pipe	7.00	Each		
10	CE.32.36.1.Page-311. (a) Replacing of brass socket bolt: 50 mm dia, 150 mm long	5.00	Each		
11	CE.32.38.8.Page-311. Replacing of 100 mm long brass hinge	45.00	Each		
12	CE.32.19.Page-309. Taking out and refitting of wooden shutter after easing excluding the cost of wood	6.77	Sqm		
13	CE.32.18.Page-309. Taking out of old wooden chowkat/door or window frame and refitting and refixing after minor repair (excluding the cost of wood and M.S. clamp)	4.00	Each		
14	CES.11.1.4.Page-135 SSupplying and making door and window frames (Chowkat) for all floors including wall side grove cutting, moulding by CNC machine or any other means with matured seasoned wood of required size including painting two coats of coal tar to the surface in contact with wall, fitting and fixing in position etc. all complete and accepted by the Engineer-in-charge. (All sizes of wood are finished). Frame made from seasoned Local Manjuree/ Jarul Up to Size 0'-2.5" x 0'-6" (finished)	0.07	Cum		
15	CE.32.87.5.Page-316. Clearing sludges & night soil from septic tank removing to a safe place/distance without affecting environment 100 user septic tank	1.00	Each		
16	CE.32.87.5.Page-316. Clearing sludges & night soil from septic tank removing to a safe place/distance without affecting environment 100 user septic tank	3.00	Each		
				Total =	-

Tk-


 2008/14
 নিবাহী প্রকৌশলী
 বিক্রয় ও বিতরণ বিভাগ
 ওজোপাড়িকো, বালকাঠী।